

## **StoArmat Classic**



Organic, cement-free reinforcing compound/base coat, ready-to-use

For product description see Technical Data Sheet (if available)

Information for building certifications in accordance with DGNB (2012 version) [German Sustainable Building Council]

Product-specific LCA values (ENV 1.1 and ENV 2.1)

paints and coatings on mineral substrates (exterior): meets quality level 1 to 4 - water-dilutable with VOC content < 40 g/l (in accordance with Directive 2004/42/EC)

in accordance with the EPD

Product-specific life cycle (ECO 1.1)

30 years (in accordance with the BNB [German assessment system for sustainable building])

Impact on acoustic comfort (SOC 1.3)

Safety and risk of incidents (SOC 1.7)

no negative impact, as product does not contain halogens

Cleaning instructions (PRO 1.5, PRO 2.2) see Technical Data Sheet

For natural stone: "no child or forced labour"

(ENV 1.3)

Information for building certifications in accordance with LEED (2009 version)

Product group classification

Recycled content (post-consumer) (MR Credit 4)

Recycled content (pre-consumer) (MR Credit 4)

Rapidly renewable materials (MR Credit 6)

Certified wood (FSC or PEFC) (MR Credit 7)

EQ4.2\_Flat Topcoat

0 %

not applicable



## **StoArmat Classic**



VOC content (IEQ Credit 4.1): Low-emitting materials – adhesives and sealants

not applicable

VOC content (IEQ Credit 4.2): Low-emitting materials – paints and coatings

16,5 g/l (less water)

VOC content (IEQ Credit 4.3): Low-emitting materials – flooring systems

not applicable

**Eco-labels and designations** 

Certificates / eco-labels

none

**Environmental Product Declaration (EPD)** 

EPD(

EPD-STO-2011311

**GISCODE** 

BSW20

Safety Data Sheet (SDS)

available

**Technical Data Sheet (TDS)** 

available

**Product ingredients** 

Composition

In accordance with the VdL directive (German Paint and Printing Ink Association) on coating materials for buildings

polymer dispersion silicate extenders aluminium hydroxide water glycol ether aliphatics

thickener

anti-foaming agents

Hazardous substances (in accordance with EU regulations)

See Safety Data Sheet (section 3)

Mineral content (in accordance with natureplus / baubook)

< 95 %



Organic content (in accordance with natureplus /

# **StoArmat Classic**



Volatile organic compounds (CMR substances)  Not assessed  7,3 g/l (0,8 %) (product is not subject to the 2004/42/EC directive)  Plasticiser content  plasticiser-free (in accordance with the VdL directive 01 [German Paint and Printing Ink Association])  Free formaldehyde  Biocide(s) / active substance(s) to protect the coating (in accordance with EU Regulation 528/2012)  Biocide(s) / active substance(s) for storage protection (in accordance with EU Regulation 528/2012)  Present, see Safety Data Sheet (section 2)  Present, see Safety Data Sheet (section 2)	baubook)	
Plasticiser content    plasticiser free (in accordance with the VdL directive 01 [German Paint and Printing Ink Association])    Free formaldehyde	Volatile organic compounds (CMR substances)	not assessed
Free formaldehyde  Biocide(s) / active substance(s) to protect the coating (in accordance with EU Regulation 528/2012)  Biocide(s) / active substance(s) for storage protection (in accordance with EU Regulation 528/2012)  present, see Safety Data Sheet (section 2)  present, see Safety Data Sheet (section 2)	•	
Biocide(s) / active substance(s) to protect the coating (in accordance with EU Regulation 528/2012)  Biocide(s) / active substance(s) for storage protection (in accordance with EU Regulation 528/2012)  present, see Safety Data Sheet (section 2) not assessed	Plasticiser content	·
Biocide(s) / active substance(s) to protect the coating (in accordance with EU Regulation 528/2012)  Biocide(s) / active substance(s) for storage protection (in accordance with EU Regulation 528/2012)  present, see Safety Data Sheet (section 2) not assessed	Free formaldehyde	not present
protection (in accordance with EU Regulation 528/2012)	coating (in accordance with EU Regulation	not present
Heavy metals not assessed	protection (in accordance with EU Regulation	present, see Safety Data Sheet (section 2)
	Heavy metals	not assessed

> 5 %

Halogenated hydrocarbons (e.g. CFC, HFC, HCFC)

Compliance with the emissions restrictions of the titanium oxide industry (in accordance with directive 2010/75/EU and BlmSchV 25 [German Federal Emission Protection Regulations])

not assessed

Halogenated organic compounds (e.g. IPBC, HBCD, polyvinyl chloride)

none

yes

#### **Emissions**

#### Formaldehyde

cannot be detected (detection limit: 2  $\mu g/m^3$ ) (in accordance with DIN EN ISO 16000-9 or Merckoquant formaldehyde test)



# **StoArmat Classic**



Semi-volatile organic compounds SVOCs	not relevant, as exterior product
Disposal / re-use / recycling	
Re-use / recycling	Paints and lacquers are neither reused nor recycled.
Disposal	See Safety Data Sheet (section 13)
Packaging / pails / films	The return of used packaging and its correct recycling is organised and certified in accordance with the statutory requirements with a regional disposal company.
Sto corporate responsibility	
Sto Guiding Principles / Corporate Governance	Sto's vision is to be the technology leader in the sustainable design of living space tailored to human needs. Worldwide. For further information please visit: www.sto.com
UN Global Compact - membership	Sto is a member of the UN Global Compact and is committed to upholding ten universally acknowledged principles taken from the areas of human rights, labour standards, environmental protection, and anti-corruption. For further information please visit: www.unglobalcompact.org
ILO fundamental conventions	Sto has committed itself to adhering to the ILO fundamental conventions at all of its locations.
Quality and environmental management	Production location certified in accordance with DIN EN 9001 and DIN EN 14001.
Supplier Code of Conduct	The Sto Supplier Code of Conduct is based on the principles of the UN Global Compact and the Sto Guiding Principles. Suppliers must adhere to these and are continuously evaluated.

4/5



## **StoArmat Classic**



This document aims to help you better assess the sustainability of our products. We consider sustainability to be a complex process that involves bringing together economic, ecological, and social criteria in order to satisfy the needs of current and future generations. Our products aim to contribute to this, while also meeting the requirements placed on them with respect to well-being, quality, and functionality. We regard sustainability as a process of continuous improvement, not one with an end result. With this in mind, we have defined the following core statements for our products:

- 1. Sto products make a contribution to key aspects of sustainability: e.g. climate protection, building, energy, and resource efficiency, protection and durability, health, and well-being.
- 2. All of the raw materials used in Sto products fulfil the functions for their application and are optimised with respect to their impact on the environment based on the latest technology.
- 3. Sto products are produced in an energy and resource-efficient manner; renewable raw materials are used when appropriate and acceptable from an ecological, economical, and social perspective.
- 4. Sto evaluates and promotes the potential to dispose of, reuse, and recycle its products, taking technological and economical feasibility into account.

It is not just down to us to determine how the sustainability of our products is interpreted and evaluated - your opinions and decisions also play a role. The information listed here, which has the environment and health as its main focus, aims to assist you in this regard.

The information and data contained in this sustainability data sheet is based on our knowledge and experience. The publication of a new sustainability data sheet invalidates all previous versions. Please observe the information in the Technical Data Sheet and Safety Data Sheet. The latest version is available on the Internet.

Sto SE & Co. KGaA Ehrenbachstr. 1

D - 79780 Stühlingen Phone: 07744 57-0 Fax: 07744 57-2178 infoservice@sto.com

www.sto.de