

Sustainability Data Sheet



StoFlexyl

Organic filler for waterproofing in the plinth area or in the soil

For product description see Technical Data Sheet (if available)

Information for building certifications in accordance with DGNB (2012 version) [German Sustainable Building Council]

Quality level (ENV 1.2)	paints and coatings on mineral substrates (exterior): meets quality level 1 to 4 - water-dilutable with VOC content < 40 g/l (in accordance with Directive 2004/42/EC)
Product-specific LCA values (ENV 1.1 and ENV 2.1)	not collected
Product-specific life cycle (ECO 1.1)	40 years (in accordance with the BNB [German assessment system for sustainable building])
Impact on acoustic comfort (SOC 1.3)	not assessed
Safety and risk of incidents (SOC 1.7)	no negative impact, as product does not contain halogens
Cleaning instructions (PRO 1.5, PRO 2.2)	see Technical Data Sheet
For natural stone: "no child or forced labour" (ENV 1.3)	not applicable

Information for building certifications in accordance with LEED (2009 version)

Product group classification	Rule1113_Flat coating
Recycled content (post-consumer) (MR Credit 4)	0 %
Recycled content (pre-consumer) (MR Credit 4)	0 %
Rapidly renewable materials (MR Credit 6)	0 %
Certified wood (FSC or PEFC) (MR Credit 7)	not applicable

Sustainability Data Sheet



StoFlexyl

VOC content (IEQ Credit 4.1): Low-emitting materials – adhesives and sealants	not applicable
VOC content (IEQ Credit 4.2): Low-emitting materials – paints and coatings	26,5 g/l (less water)
VOC content (IEQ Credit 4.3): Low-emitting materials – flooring systems	not applicable
Eco-labels and designations	
Certificates / eco-labels	none
Environmental Product Declaration (EPD)	none
GISCODE	BSW20
Safety Data Sheet (SDS)	available
Technical Data Sheet (TDS)	available
Product ingredients	
Composition	In accordance with the VdL directive (German Paint and Printing Ink Association) on coating materials for buildings polymer dispersion silicate extenders mineral extenders organic extenders water glycol ether hydrophobic agents Flow improver thickener anti-foaming agents storage protection agent based on 1,2-benzisothiazol-3-one (BIT) storage protection agent based on bronopol (INN)
Hazardous substances (in accordance with EU)	See Safety Data Sheet (section 3)

Sustainability Data Sheet



StoFlexyl

regulations)	
Organic content (in accordance with natureplus / baubook)	> 5 %
Volatile organic compounds (CMR substances)	cannot be detected (detection limit: 1 mg/kg) (in accordance with DIN EN ISO 17895)
VOC content (in accordance with the Decopaint directive)	17,14 g/l (1,43 %) (product is not subject to the 2004/42/EC directive)
Plasticiser content	plasticiser-free (in accordance with the VdL directive 01 [German Paint and Printing Ink Association])
Free formaldehyde	≤ 100 mg/kg (in accordance with the VdL directive 03 [German Paint and Printing Ink Association] and RAL-UZ 102 eco-label)
Biocide(s) / active substance(s) to protect the coating (in accordance with EU Regulation 528/2012)	not present
Biocide(s) / active substance(s) for storage protection (in accordance with EU Regulation 528/2012)	present, see Safety Data Sheet (section 2)
Heavy metals	not assessed
Compliance with the emissions restrictions of the titanium oxide industry (in accordance with directive 2010/75/EU and BImSchV 25 [German Federal Emission Protection Regulations])	not applicable, as titanium dioxide is not present in the product
Halogenated organic compounds	none
Emissions	
Halogenated hydrocarbons	cannot be detected (detection limit: 2 µg/m ³) (in accordance with DIN EN ISO 16000-9 or DIN EN 16402)
Formaldehyde	≥ 50 µg/m ³ after 24 h (in accordance with DIN EN ISO

Sustainability Data Sheet



StoFlexyl

	16000-9 or Merckoquant formaldehyde test)
Semi-volatile organic compounds SVOCs	≤ 10 µg/m ³ after 72 h (in accordance with DIN EN ISO 16000-9 or DIN EN 16402)
Disposal / re-use / recycling	
Re-use / recycling	The product is neither reused nor recycled.
Disposal	See Safety Data Sheet (section 13)
Packaging / pails / films	The return of used packaging and its correct recycling is organised and certified in accordance with the statutory requirements with a regional disposal company.
Sto corporate responsibility	
Sto Guiding Principles / Corporate Governance	Sto's vision is to be the technology leader in the sustainable design of living space tailored to human needs. Worldwide. For further information please visit: www.sto.com
UN Global Compact - membership	Sto is a member of the UN Global Compact and is committed to upholding ten universally acknowledged principles taken from the areas of human rights, labour standards, environmental protection, and anti-corruption. For further information please visit: www.unglobalcompact.org
ILO fundamental conventions	Sto has committed itself to adhering to the ILO fundamental conventions at all of its locations.
Quality, environmental and energy management	Production location certified in accordance with DIN EN 9001, DIN EN 14001, and DIN EN 50001.
Supplier Code of Conduct	The Sto Supplier Code of Conduct is based on the principles of the UN Global Compact and the Sto Guiding Principles. Suppliers must adhere to these and are continuously evaluated.

Sustainability Data Sheet



StoFlexyl

This document aims to help you better assess the sustainability of our products. We consider sustainability to be a complex process that involves bringing together economic, ecological, and social criteria in order to satisfy the needs of current and future generations. Our products aim to contribute to this, while also meeting the requirements placed on them with respect to well-being, quality, and functionality. We regard sustainability as a process of continuous improvement, not one with an end result. With this in mind, we have defined the following core statements for our products:

1. Sto products make a contribution to key aspects of sustainability: e.g. climate protection, building, energy, and resource efficiency, protection and durability, health, and well-being.
2. All of the raw materials used in Sto products fulfil the functions for their application and are optimised with respect to their impact on the environment - based on the latest technology.
3. Sto products are produced in an energy and resource-efficient manner; renewable raw materials are used when appropriate and acceptable from an ecological, economical, and social perspective.
4. Sto evaluates and promotes the potential to dispose of, reuse, and recycle its products, taking technological and economical feasibility into account.

It is not just down to us to determine how the sustainability of our products is interpreted and evaluated - your opinions and decisions also play a role. The information listed here, which has the environment and health as its main focus, aims to assist you in this regard.

The information and data contained in this sustainability data sheet is based on our knowledge and experience. The publication of a new sustainability data sheet invalidates all previous versions. Please observe the information in the Technical Data Sheet and Safety Data Sheet. The latest version is available on the Internet.

Sto SE & Co. KGaA
Ehrenbachstr. 1
D - 79780 Stühlingen
Phone: 07744 57-0
Fax: 07744 57-2178
infoservice@sto.com
www.sto.de